


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	7/14/2017	DPD	JAG



ASSY QTY	ASSY QTY	ASSY QTY	ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				X		-1	1	SUPPORT ASSEMBLY			2
			X	1		-3		SUPPORT WELDMENT			3
			1			-5		SUPPORT BLOCK	4140/4142		4
			1			-7		SUPPORT PLATE	A36/1018/1020 HR		5
				1		-9		SUPPORT GUIDE BUSHING	4140/4142		6
		X				-11	1	PLUNGER ASSEMBLY			7
		1				-13		PLUNGER BASE	4140/4142		8
						-15	1	SUPPORT DISK	4140/4142		9
						-17	1	PUSHER	4140/4142		10
						-19	1	INTERMEDIATE BEARING RING	4140/4142		11
	X					-21	1	13mm GAUGE BLOCK ASSEMBLY			12
	1					-23		13mm GAUGE BLOCK	4140/4142		13
X						-25	1	20.65mm GAUGE BLOCK ASSEMBLY			14
1						-27		20.65mm GAUGE BLOCK	4140/4142		15
						-29	1	CONTENTS PLACARD			16
						-31	1	INSTRUCTION CARD	LAMINATED PAPER		17
			1		B/O	-33		PLUNGER ROD	STEEL	Ø5mm X 30mm (MCMaster-CARR #91595A372)	7
1	1				B/O	-35		GAUGE BLOCK PIN	STEEL	Ø2mm X 14mm (MCMaster-CARR #91595A030)	12, 14
					B/O	-37	1	BOTTOM FOAM	ETHAFOAM 220, BLACK	2.97 X 5.93 X 8.43 (CASE SOLUTIONS)	18
					B/O	-39	1	TOP FOAM	ETHAFOAM 220, BLACK	.72 X 5.93 X 8.43 (CASE SOLUTIONS)	19
					B/O	-41	1	CASE	PLASTIC	PELICAN #APP-1150-E	N/S
					B/O		1	DART PLACARD	ALUMINUM	RB41011	N/S
ASSY -25	ASSY -21	ASSY -11	ASSY -3	ASSY -1							



NOTE:
REF. AIRBUS T/N: 105-42121W4.



TITLE		PRESSING DEVICE	
DWG NO.		RBE105-42121W4	
REV		1	
MATERIAL		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH		.XXX ± .005 FRACTIONS ± 1/8	
SPEC		.XX ± .01 ANGLES ± 5°	
DRAWN BY:		DD 06/30/2017	
CHECKED:		RJC 07/06/2017	
OPPS APPR:		AA 07/10/2017	
QA APPR:		JL 07/10/2017	
APPROVED:		JAG 07/20/2017	
SCALE		1:4	
DATE		6/30/2017	
SHEET		1 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED







(1)
SUPPORT ASSEMBLY

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-1	REV 1
MAT'L REPT TREAT FINISH ZINC PLATE	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125°
SPEC ASTM B633 TYPE I SC 2	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: DD 06/30/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: RJC 07/06/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: AA 07/10/2017	USED ON MODEL
QA APPR: JL 07/10/2017	APPROVED: JAG 07/20/2017
SCALE 1:1	DATE 6/30/2017
SHEET 2 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED






SUPPORT WELDMENT


DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-3	REV 1
MAT'L HEAT TREAT FINISH SEE -1 SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DD 06/30/2017	USED ON MODEL
CHECKED: RJC 07/06/2017	
OPPS APPR: AA 07/10/2017	
QA APPR: JL 07/10/2017	
APPROVED: JAG 07/20/2017	EC145, EC645, BO105, BK117
SCALE 2:3	DATE 6/30/2017
SHEET 3 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



SECTION A-A




(5)

SUPPORT BLOCK

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-5	REV 1
MAT'L 4140/4142 HEAT RC 28-34 TREAT FINISH SEE -1 SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125°
DRAWN BY: DD 06/30/2017 CHECKED: RJC 07/06/2017 OPPS APPR: AA 07/10/2017 QA APPR: JL 07/10/2017 APPROVED: JAG 07/20/2017	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
SCALE 1:1	DATE 6/30/2017
SHEET 4 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED






(-7)

SUPPORT PLATE

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-7	REV 1
MAT'L A36/1018/1020 HR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± .5°
	.X ± .1 SURFACES = 125
DRAWN BY: DD 06/30/2017	1. BREAK ALL SHARP EDGES
CHECKED: RJC 07/06/2017	.015 x 45° OR .015R
OPPS APPR: AA 07/10/2017	2. DIMENSIONAL LIMITS APPLY
QA APPR: JL 07/10/2017	AFTER PLATING
APPROVED: JAG 07/20/2017	3. INTERPRET DIM AND TOL PER
SCALE 1:1	ASME Y14.5M-2009
DATE 6/30/2017	USED ON MODEL
SHEET 5 OF 19	EC145, EC645, BO105, BK117

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED





(9)

SUPPORT GUIDE BUSHING

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-9	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT RC 28-34	DIMENSIONS ARE IN INCHES
FINISH SEE -1	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± .5°
DRAWN BY: DD 06/30/2017	.X ± .1 SURFACES = 125/
CHECKED: RJC 07/06/2017	1. BREAK ALL SHARP EDGES
OPPS APPR: AA 07/10/2017	.015 x 45° OR .015R
QA APPR: JL 07/10/2017	2. DIMENSIONAL LIMITS APPLY
APPROVED: JAG 07/20/2017	AFTER PLATING
SCALE 4:1	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 6/30/2017	USED ON MODEL
SHEET 6 OF 19	EC145, EC645, BO105, BK117

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-11)

PLUNGER ASSEMBLY

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-11	REV 1
MAT'L ZINC PLATE	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125°
SPEC ASTM B633 TYPE I SC 2	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: DD 06/30/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: RJC 07/06/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: AA 07/10/2017	USED ON MODEL
QA APPR: JL 07/10/2017	
APPROVED: JAG 07/20/2017	EC145, EC645, BO105, BK117
SCALE 2:1	DATE 6/30/2017
SHEET 7 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED





(-13)

PLUNGER BASE


DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-13	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT RC 28-34	DIMENSIONS ARE IN INCHES
FINISH SEE -11	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± 5°
	.X ± .1 SURFACES = 125°
DRAWN BY: DD 06/30/2017	1. BREAK ALL SHARP EDGES
CHECKED: RJC 07/06/2017	.015 x 45° OR .015R
OPPS APPR: AA 07/10/2017	2. DIMENSIONAL LIMITS APPLY
QA APPR: JL 07/10/2017	AFTER PLATING
APPROVED: JAG 07/20/2017	3. INTERPRET DIM AND TOL PER
SCALE 2:1	ASME Y14.5M-2009
DATE 6/30/2017	USED ON MODEL
SHEET 8 OF 19	EC145, EC645, BO105, BK117

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



SECTION A-A






(-15)
SUPPORT DISK

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-15	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
TREAT RC 28-32	DIMENSIONS ARE IN INCHES
FINISH ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE I SC 2	.XX ± .01 ANGLES ± .5°
DRAWN BY: DD 06/30/2017	.X ± .1 SURFACES = 125°
CHECKED: RJC 07/06/2017	1. BREAK ALL SHARP EDGES
OPPS APPR: AA 07/10/2017	.015 x 45° OR .015R
QA APPR: JL 07/10/2017	2. DIMENSIONAL LIMITS APPLY
APPROVED: JAG 07/20/2017	AFTER PLATING
SCALE 2:1	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 6/30/2017	USED ON MODEL
SHEET 9 OF 19	EC145, EC645, BO105, BK117

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-17)
PUSHER

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-17	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE I SC 2	.XX ± .01 ANGLES ± 5°
DRAWN BY: DD 06/30/2017	.X ± .1 SURFACES = 125°
CHECKED: RJC 07/06/2017	1. BREAK ALL SHARP EDGES
OPPS APPR: AA 07/10/2017	.015 x 45° OR .015R
QA APPR: JL 07/10/2017	2. DIMENSIONAL LIMITS APPLY
APPROVED: JAG 07/20/2017	AFTER PLATING
SCALE 1:1	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 6/30/2017	USED ON MODEL
SHEET 10 OF 19	EC145, EC645, BO105, BK117

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
			INITIAL
			APPROVED





INTERMEDIATE BEARING RING

DART AEROSPACE	
TITLE: PRESSING DEVICE	
DWG NO.: RBE105-42121W4-19	REV: 1
MAT'L: 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT: RC 28-32	DIMENSIONS ARE IN INCHES
FINISH: ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
SPEC: ASTM B633 TYPE I SC 2	.XX ± .01 ANGLES ± .5°
DRAWN BY: DD 06/30/2017	.X ± .1 SURFACES = 125
CHECKED: RJC 07/06/2017	1. BREAK ALL SHARP EDGES
OPPS APPR: AA 07/10/2017	.015 x 45° OR .015R
QA APPR: JL 07/10/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
APPROVED: JAG 07/20/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
SCALE: 2:1	DATE: 6/30/2017
SHEET 11 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
			INITIAL
			APPROVED






(-21)

13mm GAUGE BLOCK ASSEMBLY

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-21	REV 1
MAT'L STEEL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TREAT ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
FINISH ZINC PLATE	.XX ± .01 ANGLES ± .5°
SPEC ASTM B633 TYPE I SC 2	.X ± .1 SURFACES = 125°
DRAWN BY: DD 06/30/2017	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 07/06/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 07/10/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 07/10/2017	USED ON MODEL
APPROVED: JAG 07/20/2017	EC145, EC645, BO105, BK117
SCALE 2:1	DATE 6/30/2017
SHEET 12 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED





13mm GAUGE BLOCK

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-23	REV 1
MAT'L 4140/4142 HEAT RC 28-32 TREAT FINISH SEE -21 SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DRAWN BY: DD 06/30/2017	USED ON MODEL
CHECKED: RJC 07/06/2017	EC145, EC645, BO105, BK117
OPPS APPR: AA 07/10/2017	
QA APPR: JL 07/10/2017	
APPROVED: JAG 07/20/2017	
SCALE 4:1	DATE 6/30/2017 SHEET 13 OF 19

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
			INITIAL
			APPROVED



-25




20.65mm GAUGE BLOCK ASSEMBLY

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-25	REV 1
MAT'L HEAT TREAT	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8
FINISH ZINC PLATE	.XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125°
SPEC ASTM B633 TYPE I SC 2	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: DD 06/30/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: RJC 07/06/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: AA 07/10/2017	USED ON MODEL
QA APPR: JL 07/10/2017	
APPROVED: JAG 07/20/2017	EC145, EC645, BO105, BK117
SCALE 2:1	DATE 6/30/2017
SHEET 14 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED

Ø .3802 THRU ALL
.3780
(S.F. -17)





(-27)

20.65mm GAUGE BLOCK

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-27	REV 1
MAT'L 4140/4142 HEAT RC 28-32 FINISH SEE -25 SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DRAWN BY: DD 06/30/2017	USED ON MODEL
CHECKED: RJC 07/06/2017	APPROVED: JAG 07/20/2017
OPPS APPR: AA 07/10/2017	EC145, EC645, BO105, BK117
QA APPR: JL 07/10/2017	SCALE 2:1
DATE 6/30/2017	SHEET 15 OF 19

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED



NOTE:
USE PDF.



DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-29	REV 1
MAT'L REPT TREAT FINISH SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°
DRAWN BY: DD 06/30/2017	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 07/06/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 07/10/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 07/10/2017	USED ON MODEL
APPROVED: JAG 07/20/2017	EC145, EC645, BO105, BK117
SCALE 1:2	DATE 6/30/2017 SHEET 16 OF 19

(-29)

CONTENTS PLACARD

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE INITIAL APPROVED



NOTE:
USE PDF.





TITLE		PRESSING DEVICE	
DWG NO.		RBE105-42121W4-31	REV 1
MAT'L LAMINATED PAPER		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT FINISH		DIMENSIONS ARE IN INCHES	
SPEC		.XXX ± .005 FRACTIONS ± 1/8	
DRAWN BY: DD 06/30/2017		.XX ± .01 ANGLES ± 5°	
CHECKED: RJC 07/06/2017		.X ± .1 SURFACES = 125°	
OPPS APPR: AA 07/10/2017		1. BREAK ALL SHARP EDGES	
QA APPR: JL 07/10/2017		.015 x 45° OR .015R	
APPROVED: JAG 07/20/2017		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DATE 06/30/2017		USED ON MODEL	
SHEET 17 OF 19			


(31)

INSTRUCTION CARD

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED




BOTTOM FOAM

			
TITLE			
PRESSING DEVICE			
DWG NO.			REV
RBE105-42121W4-37			1
MAT'L ETHAFOAM 220, BLACK		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN CHS .XXX \pm .010 FRACTIONS \pm 1/8 .XX \pm .03 ANGLES \pm 1° .X \pm .1 SURFACES = 125/√	
HEAT TREAT		1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
FINISH			
SPEC			
DRAWN BY:	DD 06/30/2017	USED ON MODEL	
CHECKED:	RJC 07/06/2017	EC145, EC645, BO105, BK117	
OPPS APPR:	AA 07/10/2017		
QA APPR:	JL 07/10/2017		
APPROVED:	JAG 07/20/2017		
SCALE	2:3	DATE	6/30/2017
		SHEET 18 OF 19	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	



SECTION A-A

(-39)
TOP FOAM

DART AEROSPACE	
TITLE PRESSING DEVICE	
DWG NO. RBE105-42121W4-39	REV 1
MAT'L ETHAFOAM 220, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
FEAT TREAT FINISH	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DD 06/30/2017	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 07/06/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 07/10/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 07/10/2017	USED ON MODEL
APPROVED: JAG 07/20/2017	EC145, EC645, BO105, BK117
SCALE 1:2	DATE 6/30/2017
SHEET 19 OF 19	